




NO.1	
PART NO	vigor
1	90±30
2	130±30
3	180±30
4	250±30
5	350±50

NO.2	
Contact	MATERIAL/ QTY.
S	SUS/1PC
D	SUS/2PCS

NO.3-NO.4	
PART NO	NOTE
01~99	SERIAL NUMBER



PCB Layout(Pattern Side)

Circuit Diagram

ITEM	PART NAME	TER'NO.	QTY.	MATERIAL	FINISHING	REMARK
⑥	TERMINAL 2	—	1	Bross(0.20t)	Ag-PLATED	—
⑤	TERMINAL 1	—	1	Bross(0.20t)	Ag-PLATED	—
④	Cover	—	1	Sheet Iron	Plating Nickel	—
③	Contact	—	1	Stainless Steel	Ag-PLATED	—
②	Base	—	1	NYLON	Black	—
①	Keystroke	—	1	NYLON	White	—

APPROVALS		DATE	
DRAWN	J.X.Zhang	DATE	2012/3/18

CHECKED		TITLE:	
APPROVALS		TACT SWITCHS	

APPROVALS		PART NO.	
TOLERANCES ARE	30~100 ±0.30 10~30 ±0.20 5~10 ±0.15 ~5 ±0.10	ANGLE	±2°

APPROVALS		SCALE: 1:1	
CHANGE.	—	PROJ.	—

APPROVALS		DRAWING NO.	
CHECK.	—	—	

APPROVALS		SHEET 1 OF 1	
APPRO.	—	—	

ECN NO.	REV.	DATE.	DESCRIPTION.
—	A	—	NEW

**HRP**  
ELECTRONICS CO.,LTD