

PRODUCT PACKAGING

WEIGHT:1.6KG



1502DD



Box
240mm*130mm*161mm



Instructions



Test lead test line




Power test line


Rated working conditions	
voltage	220v $\pm$ 10%
working environment	-10 $^{\circ}$ C ~ 40 $^{\circ}$ C Relative humidity: <90%
Storage environment	-20 $^{\circ}$ C ~ 40 $^{\circ}$ C Relative humidity: <80%
Corrugated factor	$\leq$ 0.5mvrs (5Hz-1MHz) Iomax> 1A
Features	Short circuit protection / overload protection / alarm function / continuity test / automatic recovery

Regulated working conditions	
Power stability	$\leq$ 0.01% + 2mV
Load stability	$\leq$ 0.01% + 2mV (I _{max} <1A)
Recovery Time	$\leq$ 100us (maximum current $\leq$ 3A)

Specifications		
model	PS-1502DD	PS-1502D+
Body weight	1.0KG	1.6KG
Dimensions	125MM*175MM*145MM	
Voltage and current	0-15V/0-2A	0-15V/0-2A
Features	Short circuit protection, automatic recovery, voltage test, on-off test	
GSM signal detection	 Undetectable RF signal	 Can detect RF signals
Overload protection current	2A	
Voltage display accuracy	0.1V	
Current display accuracy	0.01A	
Mobile signal strength indicator	Have	
Brush power supply function	no	
Short circuit and overload protection alarm function	Have	




▲ High Power,Pure copper transformer



▲ PCB integrated motherboard double-sided chip technology




PRODUCT DETAILS



PRODUCT SIZE

Front

Side



PRODUCT DISPLAY



产品参数

额定工作条件	
输入电源电压	AC 220V±10% 50Hz
工作环境	温度：-10℃~40℃ 湿度：<90%
储存环境	温度：-20℃~40℃ 湿度：<80%
波纹系数	≤0.5mvrms (5Hz~1MHz) I _{max} >1A
功 能	短路保护/过载保护/报警功能/通断测试/自动恢复

稳压工作状态	
电源稳定度	≤0.01% ±2mV
负载稳定度	≤0.01% ±2mV (I _{max} <1A)
恢复时间	≤100us (I _{max} ≤ 3A)


参数规格		
产品型号	BST-1502DD	BST-1502D+
输出电压电流	0-15V/0-2A	0-15V/0-2A
一台重量	1.75kg	1.6kg
内箱尺寸	240*130*162mm	240*130*162mm
一件数量	12	12
外箱尺寸	500*425*350mm	500*425*350mm
一件毛重	21.5kg	21.0kg
信号检测功能	☐ 无射频信号检测功能	☒ 可检测射频信号
过载保护电流	2A	
电压显示精度	0.1V	
电流显示精度	0.01A	
刷机供电功能	无	
短路及过载保护报警功能	有	

产品包装




产品图片





▲ 大功率纯铜线变压器

产品细节




▲ PCB集成主板 双面贴片技术



产品说明



产品尺寸



产品描述



名称:	直流稳压电源	型号:	BST-1502DD
输出电压:	0-15V	输出电流:	0-2A
电压精度:	0.1V	电流精度:	10mA
机身尺寸:	125*175*145mm	重量:	1.5kg