

1 |

2 |

3 |



4 |

P/N LEGEND

A2501 WVR-XP XXX			
①	②	③	④
① Series No.			
② Connector type: WVR=Right angle V type			
③ No. of circuits			
④ Option code:			
1BK=Nylon 66,UL94V-0; Color:Black; Type 1			
2BK=Nylon 66,UL94V-0; Color:Black; Type 2			
1BL=Nylon 66,UL94V-0; Color:Blue,660C; Type 1			
2BL=Nylon 66,UL94V-0; Color:Blue,660C; Type 2			
1GR=Nylon 66,UL94V-0; Color:Green,347C; Type 1			
2GR=Nylon 66,UL94V-0; Color:Green,347C; Type 2			
1RD=Nylon 66,UL94V-0; Color:Red,186C; Type 1			
2RD=Nylon 66,UL94V-0; Color:Red,186C; Type 2			

SPECIFICATIONS





Current Rating: 3A AC,DC
Voltage Rating: 250V AC,DC
Temperature Range: -25°C ~ +85°C
Contact Resistance: 10mΩ Max
Insulation Resistance: 1000MΩ Min
Withstanding Voltage: 1000V AC/minute
Pin Material: Brass/Tin-plated



02P

TYPE 2

Circuit No.	Dimensions		Circuit No.	Dimensions	
	A	B		A	B
02P	2.50	7.50	12P	27.50	32.50
03P	5.00	10.00	13P	30.00	35.00
04P	7.50	12.50	14P	32.50	37.50
05P	10.00	15.00	15P	35.00	40.00
06P	12.50	17.50	16P	37.50	42.50
07P	15.00	20.00	17P	40.00	45.00
08P	17.50	22.50	18P	42.50	47.50
09P	20.00	25.00	19P	45.00	50.00
10P	22.50	27.50	20P	47.50	52.50
11P	25.00	30.00			



燦達電子工業股份有限公司
JOINT TECH ELECTRONIC IND. CO., LTD.

UNIT	SCALE	SHEET
mm	1 : 1	1 of 1
DRAWN BY	APPROVED BY	
郭木恩	林正賢	
2014.01.22	2014.01.22	
GENERAL TOLERANCE		
A1	EN20210127564	2021.03.02 黃培軍
A0	NEW RELEASE	2014.01.22 郭木恩
REV.	DESCRIPTION	DATE NAME
	X.X±0.25	ANGLE±
	X.XX±0.15	
	X.XXX±0.05	

TITLE:

2.50mm PITCH
90° WAFER

DRAW NO.: A2501WVR-XPXXX

REV. A1

1 |

2 |

3 |

4 |